

#### Cowichan Chinook Management Measures and Considerations




# **Background Information**

- Recreational Chinook Fisheries, Fraser Chinook Measures:
  - Areas 12 to 17
    - April 1 to July 14 Chinook non-retention
    - July 15 to August 16 (Area 12) or August 31 (Areas 13-17) one Chinook per day, max 80cm
    - August 17 to 31 one Chinook per day (Area 12 only)
    - September 1 to March 31 two Chinook per day
  - Areas 18 and 19
    - April 1 to July 31 Chinook non-retention
    - August 1 to August 31 one Chinook per day, max 80cm
    - September 1 to March 31 two Chinook per day
  - Some MSF occur in portions of these areas from April 1 to Jul 14/Jul 31
  - Recreational fishers have an annual limit of 10 Chinook per year
  - All proposed changes to management measures for Cowichan Chinook lie outside of the above-noted times of Chinook non-retention.





## **Cowichan Chinook Escapement**




4

#### 2024 Preliminary Salmon Outlook

#### East Coast Vancouver Island / Mainland Inlets – Chinook


| <b>644</b> 11               |   | Average Run<br>/                                 |       | Management  | 2024    |     |
|-----------------------------|---|--|-------|---|---------|-----|
| SMU                         | CU/ Sub-Unit / LRP / LBB Target<br>Spawners                           |  | -     | Forecast  | Outlook |     |
| MAINLAND<br>INLET           | Aggregate<br>includes 4 CUs   |  |       |   |         | DD  |
| UPPER<br>GEORGIA<br>STRAIT  | Quinsam River<br>Fall Run   | 7,072<br>(AVG.<br>Terminal Run<br>Index, 1979+)  |       |   |         | 3-4 |
| MIDDLE<br>GEORGIA<br>STRAIT | Puntledge and<br>Big Qualicum<br>Rivers<br>Fall Run<br>Enhanced       | 15,329<br>(AVG.<br>Terminal Run<br>Index, 1995+) | 7,193 |   |         | 4   |
|                             | Nanaimo and<br>Puntledge<br>Summer<br>Enhanced (CK-<br>83)            | 1,669<br>AVG. Terminal<br>Run Index,<br>2004+)   |       |   |         | 2   |
| LOWER<br>GEORGIA<br>STRAIT  | Cowichan River<br>Fall Run<br>Unenhanced<br>(<20% hatchery<br>origin) | 7,110<br>(AVG.<br>Terminal Run<br>Index, 1982+)  | 3,413 | 6,500<br>(Cowichan)<br>Escapement<br>Target (S <sub>MSY</sub> ) |         | 4   |

## **Cowichan Chinook Measures in Area 17**



- Solid Pink areas: Chinook non-retention from August 1 to October 15.
- Consider modifying nonretention times to better align with Nanaimo Summer Chinook and Chemainus Chinook objectives.
- Consider removing nonretention measures in Nanoose Bay.

## **Cowichan Chinook Measures in Area 18**



Pêches et Océans


Canada

- Blue hatched areas: Chinook non-retention from August 1 to October 15.
- Orange and pink areas: Finfish closures: August 1 to October 15/31.
- Consider removal of Chinook non-retention measures (Aug 1 to Oct 15) and modifying the finfish closures to Subarea 18-8 August 1, to October 15.

Fisheries and Oceans

Canada

#### Cowichan Chinook Measures in (Saanich Inlet) Area 19



- Blue hatched areas: Chinook non-retention from August 1 to October 15.
- Consider removal of the Chinook non-retention measures from August 1 to October 15.

## Stock Composition Data

#### Creel Subareas 18A, 18B and 19A (2014 – 2022)

| Count of DNA_RESULTS_STOCK_1 |                | Month J |     |     |        |
|------------------------------|----------------|---------|-----|-----|--------|
| RESOLVED_STOCK_ROLLUP        | olved_stock_(] | Oct     | Sep | Aug | Grand  |
| 🗄 ECVI Fall                  |                | 10      | 2   | 5   | 17     |
| 🗄 Fraser Fall                |                | 1       | 3   | 3   | 7      |
| 🗄 Fraser Spring 5.2          |                |         | 1   | 1   | 2      |
| 🗄 Fraser Summer 4.1          |                |         | 16  | 14  | 30     |
| 🗄 Fraser Summer 5.2          |                |         | 1   |     | 1      |
| 🗄 Puget Sound                |                | 14      | 5   | 14  | 33 🔪 🎽 |
| Grand Total                  |                | 25      | 28  | 37  | 90 🔪   |
|                              |                |         |     |     | - C    |


Saanic

Peninsula

19-B


- The majority of Fraser River encounters occur on the outer edge of Subarea 18B where Chinook retention is open on August 1.
- No ECVI Summer Chinook encounters. The vast majority of ECVI Summer Chinook populations enter the freshwater environment before August 1.

## Stock Composition Data (2014-2022; no legal Fraser stocks of concern)





### Stock Composition Data (2014-2022)





## Sub Legal Fraser Stocks of Concern – August 1 to October 31 (2014-2022)

| MONTH <b>•</b> | SUBAREA 🔻 | LENGTH_MM | RESOLVED_STOCK_ORIGIN        | RESOLVED_STOCK_ROLLUP |
|----------------|-----------|-----------|------------------------------|-----------------------|
| Aug            | 17E       | 220       | Finn Creek                   | Fraser Spring 5.2     |
| Sep            | 17E       | 260       | Slim Creek                   | Fraser Spring 5.2     |
| Sep            | 17E       | 260       | Slim Creek                   | Fraser Spring 5.2     |
| Sep            | 18B       | 230       | Tete Jaune Creek             | Fraser Spring 5.2     |
| Aug            | 18B       | 220       | Tete Jaune Creek             | Fraser Spring 5.2     |
| Sep            | 17E       | 240       | West Road (Blackwater) River | Fraser Spring 5.2     |
| Sep            | 17E       | 250       | West Road (Blackwater) River | r Fraser Spring 5.2   |

| Sep | 17E | 250   | Chilko River         | Fraser Summer 5.2 |
|-----|-----|-------|----------------------|-------------------|
| Aug | 17E | 280   | Chilko River         | Fraser Summer 5.2 |
| Sep | 18B | 558.8 | Clearwater River     | Fraser Summer 5.2 |
| Aug | 17E | 220   | Nechako River        | Fraser Summer 5.2 |
| Aug | 17E | 290   | Portage Creek        | Fraser Summer 5.2 |
| Oct | 17E | 310   | Thompson River North | Fraser Summer 5.2 |
| Aug | 17E | 380   | Thompson River North | Fraser Summer 5.2 |
| Aug | 17E | 440   | Thompson River North | Fraser Summer 5.2 |
|     |     |       |                      |                   |



